



WHITESTOWN FIRE DEPARTMENT



WFD Monthly Report – August 2017 Meeting

July Run Statistics – See chart

Inspection / Prevention:

Code enforcement Inspection – 36

Re-Inspections – 7

New Building Inspections – 15

C of O Inspections – 2

Plans Reviews – 4

Sprinkler / Alarm Tests – 1

Fire Investigations – 0

Fire Watches – 0

Training:

All shifts completed an Emergency Vehicle Operators Course training exercise

The fire department has acquired a house to utilize for training. The house was donated by GDI, and is located on 500 E, at Albert S. White. All shifts have conducted vent, enter, isolate, search (VEIS) training and a SCBA Confidence course within the structure. Invitations were sent to Zionsville, Lebanon, and Brownsburg Fire Departments for our trainings within the structure. Only Brownsburg has attended each training to date, and all 3 departments plan to attend in some form or another with the live fire drills. The live fire training will take place on August 15, 16, and 17.

Public Education / PR:

Our Engine, and 2 members of our Honor Guard took part in the Lebanon 4th of July Parade

Apparatus and personnel attended the Farmer's Market End of Summer Party



WHITESTOWN FIRE DEPARTMENT



EMS Billing Report:

June MTD Revenue: \$ 8,277.73

YTD Revenue: \$ 75,495.26 / (2016 YTD Through June: 34,286.10; 55% Increase)

Whitestown Fire Department - Monthly Run Statistics					
Month: July 2017					
Total Runs:	83			YTD	445
Fire	24			YTD	170
Notes:					
EMS	41			YTD	209
Notes:					
Rescue	18			YTD	66
Notes:	Overturned Semi Extrication - Overturned Vehicle in Field Extrication Fatal Accident - Extrication on I-65				
District	TOWN	TWP.	STA. 71	STA.72	I-65
Fire	12	0			
YTD	106	0			
EMS	35	2			
YTD	183	12			
Rescue	13	1			
YTD	47	2			
TOTALS	60	3			
YTD	341	14			
Mutual Aid	ZFD	LFD	PTFD	CTFD	Other
Fire	5	7			
YTD	25	38	1	0	0
EMS	1	3			
YTD	6	7	1	0	0
Rescue	2	1			1
YTD	12	4	0	0	0
TOTALS	8	11			1
YTD	43	49	2	0	1

Narcan Use:

*Numbers reflect number of incidents, not doses administered

	Month	YTD
FIRE:	0	4
PD:	0	4